

KPC | UK

Killeshal Precast

building into the future since 1969

Water Plates




Visit our website: www.killeshalprecast.co.uk



WATER VALVE IDENTIFICATION

British and Din standard sluice valve marker plates.



Variable clip in number system.



Injection molded system.



Screen printed onto Polycarbonate or injection molded

Including numbers, letters, arrows and blanks

Complete with Aluminium post, completion cap, and universal backing plate

The new No-Dig post.



Stick on digits.



Custom signs.



With unique anchoring device that requires no excavation

Including numbers, letters and blanks

Any colour, any message, any size


Valve lid marker paints.



Customised valve tags.



Schematic sign plates.



Long lasting, UV proof and available in all colours

Including custom engravings and variable systems, manufactured to your specification.


Any colour, any logo, any message. All produced from an individual artwork to any specification.

The information contained in the brochure was up to date at the time of going to print. Photographs, drawings, sizes and reference numbers are given as an indication only and can be changed without notice. Killeshal Precast Concrete Ltd reserves the right to modify product specification without notice.



VALVE IDENTIFICATION

Valve Identification is our core business. Not a sideline



British and Din standard size sluice valve marker plates.

Reverse screen printed water plates on non yellowing clear polycarbonate plastic that is resistant to all weather conditions. The printing inks are U.V. stabilised to prevent colour fading. Being reversed screen printed, all critical information cannot be removed by vandals or worn away. The plates have clear windows for variable information. Vinyl numbers and characters are applied to the rear of the plate.


Peel off, stick on characters.

A complete range of numbers, letters, arrows and blanks supplied in sheet form and printed using UV stabilised inks. Each character is applied to the rear face of the clear window and cannot be removed from the front.



Injection molded system.

Manufactured from custom injection molded plastic which cannot colour fade, crack, swell, shrink or corrode. Encapsulated 'T-Cross' cannot rub or wear away. The complete system includes; Plastic completion cap, extruded Aluminium post and anchor bar, universal backing plate, BS Injection molded Sluice Valve Marker Plate and clip in numbers, letters and blanks.



Schematic sign plates.

Reversed printed schematic sign plates which can be customised- any colour, any logo, any message. All produced from an individual artwork to any specification. Reverse printed on clear polycarbonate, resistant to all weather conditions, vandals, cannot rub or wear away. All sign plates are manufactured with conventional fixing slots for B.S. concrete posts. (B.S.3251)



The new 'No-Dig' post.

'No Dig' post manufactured from tough durable and flexible extruded plastic with unique anchoring device. Easy to install, no need for excavation.

VALVE CLOSED



Customised engravings.

Customised engravings from coloured laminated plastics. Permanent lettering and numbering in long life weather resistant plastic. Various materials available: aluminium epoxy black, aluminium epoxy grey, stainless steel, brass or plastic. (Available in any size).


The information contained in the brochure was up to date at the time of going to print. Photographs, drawings, sizes and reference numbers are given as an indication only and can be changed without notice. Killeshal Precast Concrete Ltd reserves the right to modify product specification without notice.




WATER VALVE IDENTIFICATION

Section 1.1. B.S.3251 1976 Hydrant Plates.

Manufactured from custom injection moulded plastic which can not colour fade, crack, swell, shrink or corrode. Encapsulated 'H' can not rub or wear away.



Form A with additional slot for unique 10mm numbering and lettering system. 180 W x 205 H. Part no: 45177




Form B with standard slot for 25mm number system. 180 W x 205 H. Part no: 45178

How the system works



The complete system including; Plastic completion cap, extruded Aluminium post and anchor bar, universal backing plate, BS Injection moulded Hydrant plate and clip in numbers, letters and blanks.

Section 1.2. The Clip In Number System.



25 mm Clip in number system including numbers, letters, and blanks. All characters are permanent and encapsulated which cannot be removed from the front of the plate.



10 mm Clip in number system including numbers, letters, and blanks. All characters are permanent and encapsulated which cannot be removed from the front of the plate.

The information contained in the brochure was up to date at the time of going to print. Photographs, drawings, sizes and reference numbers are given as an indication only and can be changed without notice. Killeshal Precast Concrete Ltd reserves the right to modify product specification without notice.



KPC | UK

Killeshal Precast

building into the future since 1969



Killeshal Precast Concrete Ltd.

Tel: 0800 0393367 Fax: 00353 57 9353272

Email: sales@killeshalprecast.co.uk Web: www.killeshalprecast.co.uk



Concrete Built is Better Built



QUALITY
I.S. EN ISO 9001:2008
NSAI Certified

Technical Queries: 0800 0393367